

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US) Page: 1/6
Last revised date: 2004-01-14 Print date: 2004-01-14
SDS-ID: US-D/5.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product name: CPS Screen Wash V3 (US)
Application: To remove ink from screen printing mesh prior to screen reclaim. Container size: 1, 5, 25 and 210 l
Supplier: Autotype Americas, Inc. 2050 Hammond Drive Schaumburg, IL 60173-3810 Emergency phone no.: 1-800-424-9300
Tel: 1-847-303-5900

2. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains: organic solvents and surfactants.

This product is covered by the OSHA Hazard Communication Rule 29, CFR 1910.1200

The following substances shall be indicated according to legislation:

2-Methoxy-1-methylethylacetate, CAS-No. 108-65-6: 30-60 %
Dipropylenglycolmethylether, CAS-No. 34590-94-8: 10-30 %
Distillates (petroleum), hydrotreated light, CAS-No. 64742-47-8: 10-30 %
Non-ionic surfactants: 1-10 %
Propylene carbonate, CAS-No. 108-32-7: 1-5%

3. HAZARDS IDENTIFICATION

Human health: Irritating to eyes. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. In high concentrations, vapours may be irritating to the respiratory system. The product contains components which may penetrate skin. This product contains no ingredient listed on the NTP, OSHA or IARC carcinogen lists.

4. FIRST-AID MEASURES

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water or milk. Keep person under observation. Do not induce vomiting. If vomiting occurs, keep head low. Immediate transport to hospital. Bring along these instructions.

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US) Page: 2/ 6
Last revised date: 2004-01-14 Print date: 2004.01.14
SDS-ID: US-D/5.0

5. FIRE-FIGHTING MEASURES

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide or dry powder. If possible, remove containers exposed to heat or cool with water.

Specific hazards: During fire, health hazardous gases may be formed.
The explosion limits and the flash point are stated in point 9.

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated by the workplace.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. For personal protection, see point 8.

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

Methods for cleaning up: Absorb spillage with non-combustible, absorbing material. Flush contaminated area with plenty of water. For waste disposal, see point 13.

7. HANDLING AND STORAGE

Safe handling advice: Observe good industrial hygiene practices. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes.

Technical measures: Keep the workplace clean.

Technical precautions: Mechanical ventilation may be required.

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in closed original container at temperatures between 40°F and 85°F.

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US) Page: 3/6
Last revised date: 2004-01-14 Print date: 2004.01.14
SDS-ID: US-D/5.0

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and spray mist.

<u>Chemical name:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
Jet fuels, as total hydrocarbon vapour	200mg/m ³	TWA	Skin, A3	ACGIH
Jet fuels, as total hydrocarbon vapour	200mg/m ³	TWA	Skin, A3	ACGIH
Dipropylene glycol methyl ether	100ppm	TWA	Skin	ACGIH
Dipropylene glycol methyl ether	100ppm 600mg/m ³	TWA	Skin	OSHA

Respiratory equipment: In case of inadequate ventilation: Use respiratory equipment with gas filter, type A2.

Hand protection: Risk of contact: Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The product consists of substances for which it is not possible to suggest a common suitable glove material. Therefore, a suitable type of gloves cannot be recommended without knowing the actual usage of the product. The most suitable glove must be chosen in collaboration with the supplier of gloves, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Environmental exposure controls: Not available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colourless clear liquid
Odour: characteristic
pH: not relevant
Boiling point: 284-473°F
Flash point: 135°F
Explosive properties: 0.8-14.0 vol%
Vapour pressure: 1 mmHg
Relative density: 0.948
Solubility: Soluble in: organic solvents
Other data: kinematic viscosity at 104°F: <7 mm²/s
Autoignition temperature: > 500°F
Evaporation rate (BuAc=100): 1
VOC (Volatile Organic Substances, ASTM D2369-01): 910 g/l

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US) Page: 4/ 6
Last revised date: 2004-01-14 Print date: 2004.01.14
SDS-ID: US-D/5.0

10. STABILITY AND REACTIVITY

Stability: Stable under normal temperature conditions.

Conditions/
materials to avoid: Heating. Strong bases.

Hazardous
decomposition products: None in particular.

11. TOXICOLOGICAL INFORMATION

Inhalation: In high concentrations, vapours may irritate throat and respiratory system and cause coughing. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
LC50 (inhalation, rat): > 12200 mg/m³/4H (RTECS) for aliphatic hydrocarbons.

Skin contact: Prolonged contact may cause redness, irritation and dry skin. Contains organic solvents which may penetrate the skin.

Eye contact: Irritating and may cause redness and pain.

Ingestion: Irritating. May be absorbed in the body and cause dizziness, nausea and vomiting.
LD50 (oral, rat): 8532 mg/kg (RTECS) for 2-Methoxy-1-methylethylacetate.
LD50 (oral, dog): 7500 mg/kg (RTECS) for dipropylenglycolmethylether.
LD50 (oral, rat): > 10 gm/kg (RTECS) for aliphatic hydrocarbons.

Specific effects: The hydrocarbon: Frequent inhalation of even small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain.
This product contains no ingredient listed on the NTP, OSHA or IARC carcinogen lists.

12. ECOLOGICAL INFORMATION

Mobility: The product is partly miscible with water and may spread in the aquatic environment. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Degradability: The product is biodegradable, but it must not be discharged into drains without permission from the authorities.

Ecotoxicity: The product contains a substance which is hazardous to aquatic organisms. Do not discharge into the aquatic environment.

Bioaccumulative
potential: No data available on bioaccumulation.

Other adverse effects: None known.

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US)

Page: 5/6

Last revised date: 2004-01-14

Print date: 2004.01.14

SDS-ID: US-D/5.0

13. DISPOSAL CONSIDERATIONS

Dispose of waste and residues according to agreement with local authorities. This product, if discarded, may be considered a characteristic hazardous waste under RCRA (ignitable waste, D001). Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket.

14. TRANSPORT INFORMATION

UN-number: 1993

Proper shipping name: FLAMMABLE LIQUID, N.O.S (2-Methoxy-1-methylethyl acetate)

Sea (IMDG):

Class: 3

PG: III

MP: No

EmS: F-E , S-E

MFAG: 1

Inland waterways: To be handled locally.

Air (ICAO/IATA):

Class: 3

PG: III

Land (RID/ADR):

Class: 3

Packing group III

Primary risk label 3

Subsidiary risk label -

MATERIAL SAFETY DATA SHEET

Product name: CPS Screen Wash V3 (US) Page: 6/6
Last revised date: 2004-01-14 Print date: 2004.01.14
SDS-ID: US-D/5.0

15. REGULATORY INFORMATION

TSCA: All chemicals included in the product are TSCA listed.

CERCLA: Final RQ = 100 pounds (45.4 kg).

SARA Section 313:
Form R reporting required for 1.0% de minimis concentration.

NFPA Rating: Health:2 Fire:2 Reactivity:0 Other:-

Specific provisions: State and local regulation may apply.

National regulation: The following lists have been checked:

Threshold Limit Values (2003), ACGIH, by the American Conference on Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Air contaminants.

U.S. Department of health and human services: 2002 - Report on Carcinogens - 10th Ed.

International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization, 1972-2000.

The Code of Federal Regulation, Title 40, part 261.33. Identification and listing of hazardous waste.

The Code of Federal Regulation. Title 40, part 355.50. Emergency Planning and Notification

The Code of Federal Regulation. Title 40, part 302.4. Designation, Reportable Quantities, and Notification.

The Code of Federal Regulation. Title 40, part 68.130. Chemical Accident Prevention Provisions.

The Code of Federal Regulation. Title 40, part 372.65. Toxic Chemical Release Reporting: Community Right to Know.

16. OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 3, 7, 8, 9, 12, 14.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DANISH TOXICOLOGY CENTRE, Kogle Allé 2, DK-2970 Hørsholm, Denmark. Telephone +45 45 76 20 55 Telefax +45 45 76 24 55